




Applanation Tonometer EAT 1

Gold Standard, Accurate Measurement



Accurate Measurement

With years of tests and clinical applications, Goldmann has been proved to be the the gold standard for tonometry measurement. Based on the proven evidence, Eyevis EAP1 tonometer applied Goldmann principle in the design and manufacture. With precision manufacturing process, Eyevis applanation tonometer offers accurate and consistent measurements which give a clear picture of patients' IOP situation to the doctors.



Excellent Mechanics

Full attentions are paid to every detail in the manufacture of Eyevis tonometers. Workers assemble every component carefully and check tight tolerances in weight to make sure the tonometer deliver consistent measurements.



Premium Optics

The prism on the tonometer is the key to accurate measurement. In Eyevis, our skillful workers make these prisms with great care and follow strict quality standards. We offer 3 pcs of prisms in standard package making Eyevis tonometers durable in long term use.

Accessories



Tonometer Adaptor (R type)
(For R type applanation tonometer)

(Available for ESL5H/ESL3H/ESL5HI)



Tonometer Adaptor (870 type)
(For 870 type applanation tonometer)

(Available for ESL5Z/ ESL3Z)

R type



Specification

EAT 1

Range of Measurement	0mmHg~ 80mmHg (0 kPa~10.64kPa)
Moving Range of the Rings	1.53x2 =3.06mm
Prism Diameter	7mm
Moving Range of Prism	± 1.5mm
Dimension	190mmx80mmx80mm(R Type)
Net Weight	480g (R Type)



Eyevis Mediworks Pvt. Ltd.

Address: 811-812, Sakar - 5, Near Mithakhali Railway Crossing,
Off. Ashram Road, Ahmedabad - 380009 Gujarat, India
Email: info@eyevis.biz Website: www.eyevis.biz
Telephone: +91 79 3522 0044